

MEASURING SHEET


USE THIS SHEET TO LAYOUT AND NOTE YOUR MEASUREMENTS, THE SIZES WE REQUIRE ARE THE OVERALL BLIND SIZE, AND WE WORK EVERYTHING OUT TO FIT WITHIN THIS SPACE.

WHEN MEASURING, ALWAYS LOOK FOR OBJECTS LIKE AIR CONDITIONERS OR DOWNPIPES, AND TAKE THEIR POSITION INTO ACCOUNT TO ENSURE YOU HAVE A CLEAR SPAN.

BLIND NO.	WIDTH (IN MM.)	HEIGHT (IN MM)	BLIND TYPE	FABRIC	OPERATION (+ CONTROL SIDE)	NOTES / COMMENTS
1	TOP	LEFT		TYPE	GEARBOX L R	
	BOTTOM	RIGHT		COLOR	MOTOR L R	
2	TOP	LEFT		TYPE	GEARBOX L R	
	BOTTOM	RIGHT		COLOR	MOTOR L R	
3	TOP	LEFT		TYPE	GEARBOX L R	
	BOTTOM	RIGHT		COLOR	MOTOR L R	
4	TOP	LEFT		TYPE	GEARBOX L R	
	BOTTOM	RIGHT		COLOR	MOTOR L R	
5	TOP	LEFT		TYPE	GEARBOX L R	
	BOTTOM	RIGHT		COLOR	MOTOR L R	

FLOOR LAYOUT

USE THIS GRID TO SKETCH OUT A BIRD'S EYE VIEW OF YOUR AREA, THEN ADD YOUR MEASUREMENTS ALONG WITH ADDITIONAL DETAILS OR OBSTRUCTIONS TO GET A CLEAR PLAN TO WORK OFF.



EXAMPLE PAGE

AN EXAMPLE FOR 2X HEAVY DUTY CHANNEL BLINDS FOR AN L SHAPED ALFRESCO IN A REVEAL FIT SCENARIO.

IN THIS EXAMPLE, THE CUSTOMER WANTS TO OPERATE BOTH BLINDS FROM THE SAME CENTRAL POST, AND THE CONTROL SIDE HERE WOULD BE DETERMINED FROM THE INSIDE LOOKING OUT.

BLIND NO.	WIDTH (IN MM.)		HEIGHT (IN MM.)		BLIND TYPE	FABRIC		OPERATION (+ CONTROL SIDE)				NOTES / COMMENTS
1	TOP	3884	TOP	2410	Heavy Duty	TYPE	Sun screen	SPRING				lx 1200 long Crank Handle
	BOTTOM	3886	BOTTOM	2410	channel	COLOR	Ebony 95	X	GEARBOX	L	R	
									MOTOR	L	R	
2	TOP	1210	TOP	2410	Heavy Duty	TYPE	Sun screen	SPRING				
	BOTTOM	1210	BOTTOM	2415	channel	COLOR	Ebony 95	X	GEARBOX	L	X	
									MOTOR	L	R	

